




















Bars - specifications						
name	Shape and size [cm]	Ø	lg [m]	n [psc]	lgn [m]	
FOUNDATION SLAB – SLAB REINFORCEMENT (1 piece)						
1		12	5.93	92	545.56	
2		12	6.93	78	540.54	
3		12	1.20	308	369.60	
COVER SLAB - SLAB REINFORCEMENT (1 piece)						
1		12	5.64	78	439.92	
2		12	4.10	12	49.20	
3		12	6.64	71	471.44	
4		12	5.30	12	63.60	
6		10	1.32	41	54.12	
POS_W-1 (2 pieces)						
1		12	3.77	160	603.20	
2		12	2.77	20	55.40	
3		8	6.67	52	346.84	
4		8	6.07	24	145.68	
5		10	2.00	82	164.00	

Bars - specifications						
name	Shape and size [cm]	Ø	lg [m]	n [psc]	lgn [m]	
POS_W-2 (1 piece)						
1		12	3.77	74	278.98	
2		8	5.64	90	507.60	
3		10	2.00	34	68.00	
POS_W-3 (1 piece)						
1		12	2.77	74	204.98	
2		8	5.64	26	146.64	
3		10	2.00	34	68.00	

Bars - recount			
Ø [mm]	lgn [m]	Weight unit [kg/m']	Weight [kg]
S500			
8	1146.76	0.40	452.97
10	354.12	0.62	218.49
12	3622.42	0.89	3216.71
Total			3888.17