






















Bars - specifications						
name	Shape and size [cm]	Ø	lg [m]	n [pcs]	lgn [m]	
FOUNDATION SLAB – SLAB REINFORCEMENT (1 piece)						
1		12	5.93	146	865.78	
2		12	10.93	78	852.54	
3		12	1.20	428	513.60	
COVER SLAB - SLAB REINFORCEMENT (1 piece)						
1		12	5.64	128	721.92	
2		12	4.10	12	49.20	
3		12	10.64	71	755.44	
4		12	9.30	12	111.60	
6		10	1.32	66	87.12	
POS_W-1 (2 pieces)						
1		12	3.77	268	1010.36	
2		12	2.77	20	55.40	
3		8	10.67	52	554.84	
4		8	10.07	24	241.68	
5		10	2.00	136	272.00	

Bars - specifications						
name	Shape and size [cm]	Ø	lg [m]	n [pcs]	lgn [m]	
POS_W-2 (1 piece)						
1		12	3.77	74	278.98	
2		8	5.64	90	507.60	
3		10	2.00	34	68.00	
POS_W-3 (1 piece)						
1		12	2.77	74	204.98	
2		8	5.64	26	146.64	
3		10	2.00	34	68.00	
COLUMNS (1 piece)						
1		10	1.22	17	20.74	
2		12	3.17	8	25.36	

Bars - recount			
Ø [mm]	lgn [m]	Weight unit [kg/m']	Weight [kg]
S500			
8	1450.76	0.40	573.05
10	515.86	0.62	318.29
12	5445.16	0.89	4835.30
Total			5726.64